

Qualities and Features at S. Steel Drawn Pipes

Nom. Cap/mm Nom.	Nom. Cap/inc	Dış Cap/inc	Et Kal. mm	SCH No:	kg/mt	Calisma Basinci (bar)/max
	1/8"	10,3	1,73	0,37	STD	40
			2,41	0,47	XS	80
	1/4"	13,7	2,24	0,63	STD	40
			3,02	0,80	XS	80
10	3/8"	17,2	2,31	0,85	STD	40
			3,20	1,10	XS	80
15	1/2"	21,3	2,77	1,27	STD	40
			3,73	1,62	XS	80
			4,78	1,95	-	160
			7,47	2,55	XXS	-
20	3/4"	26,7	2,87	1,69	STD	40
			3,91	2,20	XS	80
			5,56	2,90	-	160
			7,82	3,64	XXS	-
25	1"	33,4	3,38	2,50	STD	40
			4,55	3,24	XS	80
			6,35	4,24	-	160
			9,09	5,45	XXS	-
32	1 1/4"	42,2	3,56	3,39	STD	40
			4,85	4,47	XS	80
			6,35	5,61	-	160
			9,70	7,77	XXS	-
40	1 1/2"	48,3	3,68	4,05	STD	40
			5,08	5,41	XS	80
			7,14	7,25	-	160
			10,16	9,56	XXS	-
50	2"	60,3	3,91	5,44	STD	40
			5,54	7,48	XS	80
			8,74	11,11	-	160
			11,07	13,44	XXS	-
65	2 1/2"	73,0	5,16	8,63	STD	40
			7,01	11,41	XS	80
			9,53	14,92	-	160
			14,02	20,39	XXS	-
80	3"	88,9	5,49	11,29	STD	40
			7,62	15,27	XS	80
			11,13	21,35	-	160
			15,24	27,68	XXS	-
90	3 1/2"	101,6	5,74	13,57	STD	40
			8,08	18,63	XS	80
100	4"	114,3	6,02	16,07	STD	40

			8,56	22,32	XS	80
			11,13	28,32	-	120
			13,49	33,54	-	160
			17,12	41,03	XXS	-
125	5"	141,3	6,55	21,77	STD	40
			9,52	30,94	XS	80
			12,70	40,28	-	120
			15,90	49,17	-	160
			19,05	57,43	XXS	-
150	6"	168,3	7,11	28,26	STD	40
			10,97	42,56	XS	80
			14,27	54,20	-	120
			18,20	67,37	-	160
			21,95	79,22	XXS	-
200	8"	219,1	6,35	33,31	-	20
			7,04	36,81	-	30
			8,18	42,55	STD	40
			10,31	53,08	-	60
			12,70	64,64	XS	80
			15,10	75,96	-	100
			18,20	90,17	-	120
			20,60	100,84	-	140
			23,00	111,22	-	160
250	10"	273,0	6,35	41,75	-	20
			7,80	51,01	-	30
			9,27	60,29	STD	40
			12,70	81,52	XS	60
			15,09	95,97	-	80
			18,26	114,71	-	100
			21,44	133,00	-	120
			25,40	155,09	-	140
			28,58	172,26	-	160
300	12"	323,9	6,35	49,73	-	20
			8,38	65,20	-	30
			9,52	73,80	STD	-
			10,31	79,73	-	40
			11,13	85,84	XS	-
			14,27	108,96	-	60
			17,48	132,08	-	80
			21,44	159,91	-	100
			25,40	186,97	-	120
			28,58	208,14	-	140
			33,32	238,76	-	160
350	14"	355,6	6,35	54,69	-	10
			7,92	67,90	-	20

			9,52	81,25	STD	30
			11,13	94,55	-	40
			12,70	107,39	XS	-
			15,09	126,71	-	60
			19,05	158,10	-	80
			23,83	194,96	-	100
			27,79	224,65	-	120
			31,75	225,56	-	140
			37,71	281,70	-	160
400	16"	406,4	6,35	62,64	-	10
			7,92	77,83	-	20
			9,52	93,17	STD	20
			12,70	123,30	XS	40
			16,66	160,12	-	60
			21,44	203,53	-	80
			26,19	245,56	-	100
			30,96	286,64	-	120
			36,53	333,19	-	140
			40,49	365,36	-	160
450	18"	457,2	6,35	70,60	-	10
			7,92	87,75	-	20
			9,52	105,10	STD	-
			11,13	122,43	-	30
			12,70	139,21	XS	-
			14,27	155,87	-	40
			19,05	205,83	-	60
			23,83	254,67	-	80
			29,36	309,76	-	100
			34,92	363,64	-	120
			39,67	408,45	-	140
			45,24	459,59	-	160
500	20"	508,0	6,35	78,55	-	10
			9,52	117,02	STD	20
			12,70	155,12	XS	30
			15,09	183,42	-	40
			20,62	247,83	-	60
			26,19	311,17	-	80
			32,54	381,53	-	100
			38,10	441,49	-	120
			44,45	508,11	-	140
			50,00	564,71	-	160
550	22"	558,8	6,35	86,51	-	10
			9,52	128,95	STD	20
			12,70	171,03	XS	30
			15,87	212,48	-	40

			22,22	294,02	-	60
			28,57	373,17	-	80
			34,92	451,13	-	100
			41,27	526,70	-	120
			47,62	600,28	-	140
			53,97	671,88	-	160
600	24"	609,6	6,35	94,46	-	10
			9,52	140,88	STD	20
			12,70	186,94	XS	-
			14,27	209,50	-	30
			17,48	255,24	-	40
			24,61	355,02	-	60
			30,96	441,78	-	80
			38,89	547,33	-	100
			46,02	639,58	-	120
			52,37	719,63	-	140
			59,54	807,63	-	160
650	26"	660,4	7,92	127,43	-	10
			9,52	152,80	STD	-
			12,70	202,85	XS	20
700	28"	711,2	7,92	137,36	-	10
			9,52	164,73	STD	-
			12,70	218,76	XS	20
			15,88	272,29	-	30
750	30"	762,0	7,92	147,28	-	10
			9,52	176,65	STD	-
			12,70	234,67	XS	20
			15,88	292,18	-	30
800	32"	812,8	7,92	157,20	-	10
			9,52	188,58	STD	-
			12,70	250,58	XS	20
			15,88	312,07	-	30
			17,45	342,25	-	40